



Bipin Nambiar
(SBI PO 2018)



Shiraz Khan
(SBI Clerk 2018)



Kuldeep Yadav
(SBI PO 2018)



Rajat Saxena
(IBPS Clerk 2018)



Anupam Tyagi
(IBPS PO 2018)

FRIENDS!
WE USED **TESTZONE**
AND CRACKED BANK EXAMS

बैंक परीक्षाओं के लिए निश्चित
रूप से सर्वश्रेष्ठ मॉक
टेस्ट सीरीज

IT'S YOUR TURN NOW
TAKE A **FREE** MOCK TEST



Smartkeeda
The Question Bank

Quadratic Equation Questions for IBPS RRB Scale I Pre, IBPS PO Pre, SBI PO Pre, IBPS Clerk Mains and SBI Clerk Mains.

Directions: In each of these questions, two equations (I) and (II) are given. You have to solve both the equations and give answer.

1. I. $\frac{21}{\sqrt{x}} + \frac{11}{\sqrt{x}} = 7\sqrt{x}$

II. $2y^2 - 11y + 12 = 0$

- A. if $x > y$
D. if $x < y$

- B. if $x \leq y$
E. if $x = y$ or relationship between x and y can't be established
C. if $x \geq y$

2. I. $143x^2 + 43x - 66 = 0$

II. $33y^2 - 40y + 12 = 0$

- A. if $x = y$ or relationship between x and y can't be established
C. if $x \leq y$

- B. if $x < y$
E. if $x > y$

3. I. $72x^2 - 101x + 35 = 0$

II. $45y^2 - 62y + 21 = 0$

- A. if $x > y$
D. if $x \geq y$

- B. if $x \leq y$
E. if $x < y$

- C. if $x = y$ or relationship between x and y can't be established

4. I. $22x^2 + 6\sqrt{11x} - 8 = 0$

II. $3y^2 + 14y - 5 = 0$

- A. if $x = y$ or relationship between x and y can't be established
C. if $x \leq y$

- B. if $x > y$
E. if $x \geq y$

5. I. $56x^2 + 15x - 56 = 0$

II. $7y^2 - 34y - 48 = 0$

- A. if $x < y$
C. if $x > y$

- B. if $x = y$ or relationship between x and y can't be established
D. if $x \geq y$
E. if $x \leq y$

6. I. $45x^2 + 17\sqrt{15x} + 24 = 0$ II. $y^2 + 7y + 12 = 0$

- A. if $x > y$
D. if $x < y$

- B. if $x \leq y$
E. if $x = y$ or relationship between x and y can't be established
C. if $x \geq y$

7. I. $\frac{4}{\sqrt{x}} + \frac{6}{\sqrt{x}} = 5\sqrt{x}$

II. $y^2 + \sqrt{256} = \sqrt{625}$

- A. if $x > y$
D. if $x = y$ or relationship between x and y can't be established

- B. if $x < y$
E. if $x \geq y$
C. if $x \leq y$

8. I. $117x^2 + 128x + 35 = 0$

II. $39y^2 - 31y - 28 = 0$

- A. if $x > y$
D. if $x < y$

- B. if $x \leq y$
E. if $x = y$ or relationship between x and y can't be established
C. if $x \geq y$

9. I. $36x^2 + 55x + 21 = 0$

II. $132y^2 - 17y - 30 = 0$

- A. if $x > y$
D. if $x \geq y$

- B. if $x \leq y$
E. if $x = y$ or relationship between x and y can't be established
C. if $x < y$

10. I. $12x^2 - 29x + 15 = 0$

II. $54y^2 - 20\sqrt{18} + 33 = 0$

- A. if $x > y$
D. if $x = y$ or relationship between x and y can't be established

- B. if $x \leq y$
E. if $x < y$
C. if $x \geq y$

11. I. $x^5 - 41x^3 + 400x = 0$

II. $y^2 - 14y + 30 = -18$

- A. if $x > y$
E. if $x = y$ or relationship between x and y can't be established

- B. if $x < y$
C. if $x \geq y$
D. if $x \leq y$

12. I. $x^2 - 3 = 2x$

II. $y^2 + 5y + 6 = 0$

- A. if $x > y$
E. if $x = y$ or relationship between x and y can't be established

- B. if $x < y$
C. if $x \geq y$
D. if $x \leq y$

13. I. $4x^3 + 24x^2 - 64x = 0$

II. $3y^2 + 39y + 126 = 0$

- A. if $x > y$
E. if $x = y$ or relationship between x and y can't be established

- B. if $x < y$
C. if $x \geq y$
D. if $x \leq y$

14. I. $x^2 - 25x + 114 = 0$

II. $y^2 - 10y + 24 = 0$

- A. if $x > y$
E. if $x = y$ or relationship between x and y can't be established

- B. if $x < y$
C. if $x \geq y$
D. if $x \leq y$

15. I. $48x^2 - 24x + 3 = 0$

II. $55y^2 + 53y + 12 = 0$

- A. if $x > y$
E. if $x = y$ or relationship between x and y can't be established

- B. if $x < y$
C. if $x \geq y$
D. if $x \leq y$

16. I. $45x^2 + 17\sqrt{15x} + 24 = 0$ II. $y^2 + 7y + 12 = 0$

- A. if $x > y$
D. if $x < y$

- B. if $x \leq y$
E. if $x = y$ or relationship between x and y can't be established
C. if $x \geq y$

17. I. $\frac{4}{\sqrt{x}} + \frac{6}{\sqrt{x}} = 5\sqrt{x}$

II. $y^2 + \sqrt{256} = \sqrt{625}$

A. if $x > y$

B. if $x < y$

C. if $x \leq y$

D. if $x = y$ or relationship between x and y can't be established

E. if $x \geq y$

18. I. $x^2 - 7\sqrt{3}x + 36 = 0$

II. $y^2 - 11\sqrt{3}y + 84 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

19. I. $x^2 = 361$

II. $y^3 = 7269 + 731$

A. if $x > y$

B. if $x \leq y$

C. if $x < y$

D. if $x \geq y$

E. if $x = y$ or relationship between x and y can't be established

20. I. $x^2 + 5x + 6 = 0$

II. $y^2 - 4y - 12 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x = y$ or relationship between x and y can't be established

E. if $x < y$

21. I. $25x^2 - 90x + 72 = 0$

II. $y^2 + 26y + 168 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

22. I. $20x^2 - 108x + 144 = 0$

II. $8y^2 + 18y + 4 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

23. I. $3x^2 - 8x - 16 = 0$

II. $3y^2 - 19y + 28 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

24. I. $3x^2 - 5x - 12 = 0$

II. $2y^2 + 15y + 25 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

25. I. $2x^2 + 5x + 2 = 0$

II. $6y^2 + 69y + 198 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

26. I. $20x^2 + 93x + 99 = 0$

II. $16y^2 - 25 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

27. I. $12x^2 - 4x - 5 = 0$

II. $8y^2 - 4y - 4 = 0$

A. if $x > y$

B. if $x < y$

C. if $x = y$

D. if $x \geq y$

E. if $x \leq y$ or no relationship can be established between x and y .

28. I. $x^2 - 52x + 667 = 0$

II. $y^2 - 60y + 899 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

29. I. $2x + 3y = 77$

II. $3x + 5y = 124$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

30. I. $3x^2 - (6 + \sqrt{17})x + 2\sqrt{17} = 0$

II. $10y^2 - (15 + 2\sqrt{17})y + 3\sqrt{17} = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

31. I. $5x^2 + 11x - 12 = 0$

II. $4y^2 - 13y - 12 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

32. I. $3x^2 + 19x + 30 = 0$

II. $3y^2 - 20y - 32 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

33. I. $x^2 - 4\sqrt{7}x + 21 = 0$

II. $2y^2 - 8\sqrt{5}y - 50 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

34. I. $x^2 - 52x + 667 = 0$

II. $y^2 + 8y - 33 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

35. I. $x^2 - 13\sqrt{2}x + 60 = 0$

II. $y^2 + 3\sqrt{5}y - 20 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

36. I. $10x^2 - 69x + 108 = 0$

II. $6y^2 - 47y + 77 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

37. I. $5x^2 - 34x + 24 = 0$

II. $4y^2 - 13y + 9 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x \leq y$ or no relationship can be established between x and y .

38. I. $36x^2 - 196x - 11 = 0$

II. $4y^2 - 19y + 12 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

39. I. $6x^2 + 25x + 21 = 0$

II. $5y^2 - 176y - 333 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

40. I. $x^2 = 5476$

II. $y^3 = 405224$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

41. I. $25x^2 - 90x + 72 = 0$

II. $y^2 + 26y + 168 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

42. I. $20x^2 - 108x + 144 = 0$

II. $8y^2 + 18y + 4 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

43. I. $3x^2 - 8x - 16 = 0$

II. $3y^2 - 19y + 28 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

44. I. $3x^2 - 5x - 12 = 0$

II. $2y^2 + 15y + 25 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

45. I. $2x^2 + 5x + 2 = 0$

II. $6y^2 + 69y + 198 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

46. I. $20x^2 + 93x + 99 = 0$

II. $16y^2 - 25 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

47. I. $12x^2 - 4x - 5 = 0$

II. $8y^2 - 4y - 4 = 0$

A. if $x > y$

B. if $x < y$

C. if $x = y$

D. if $x \geq y$

E. if $x \leq y$ or no relationship can be established between x and y .

48. I. $x^2 - 52x + 667 = 0$

II. $y^2 - 60y + 899 = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

49. I. $2x + 3y = 77$

II. $3x + 5y = 124$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

50. I. $3x^2 - (6 + \sqrt{17})x + 2\sqrt{17} = 0$

II. $10y^2 - (15 + 2\sqrt{17})y + 3\sqrt{17} = 0$

A. if $x > y$

B. if $x \leq y$

C. if $x \geq y$

D. if $x < y$

E. if $x = y$ or relationship between x and y can't be established

Join us on Telegram for more PDFs

Click here



Correct options:

1	2	3	4	5	6	7	8	9	10
A	C	C	A	B	A	D	B	C	D
11	12	13	14	15	16	17	18	19	20
B	A	E	C	A	A	D	B	A	B
21	22	23	24	25	26	27	28	29	30
A	A	E	A	A	D	E	B	D	E
31	32	33	34	35	36	37	38	39	40
E	D	E	A	A	E	E	E	E	B
41	42	43	44	45	46	47	48	49	50
A	A	E	A	A	D	E	B	D	E



Smartkeeda

The Question Bank

Join us on Telegram for more PDFs
Click here



Explanations:

1. I. $\frac{21}{\sqrt{x}} + \frac{11}{\sqrt{x}} = 7\sqrt{x}$

$$\frac{21+11}{\sqrt{x}} = 7\sqrt{x}$$

$$\frac{32}{\sqrt{x}} = 7\sqrt{x}$$

$$x = \frac{32}{7}$$

II. $2y^2 - 11y + 12 = 0$

$$2y^2 - 8y - 3y + 12 = 0$$

$$2y(y-4) - 3(y-4) = 0$$

$$(2y-3)(y-4) = 0$$

$$y = \frac{3}{2}, 4$$

$$x > y$$

Hence, option A is correct.

2. I. $143x^2 + 43x - 66 = 0$

$$\text{or, } 143x^2 + (121 - 78)x - 66 = 0$$

$$\text{or, } 143x^2 + 121x - 78x - 66 = 0$$

$$\text{or, } 11x(13x + 11) - 6(13x + 11) = 0$$

$$\text{or, } (13x + 11)(11x - 6) = 0$$

$$x = \frac{6}{11}, -\frac{11}{13}$$

II. $33y^2 - 40y + 12 = 0$

$$\text{or, } 33y^2 - (22 + 18)y + 12 = 0$$

$$\text{or, } 33y^2 - 22y - 18y + 12 = 0$$

$$\text{or, } 11y(3y - 2) - 6(3y - 2) = 0$$

$$\text{or, } (11y - 6)(3y - 2) = 0$$

$$y = \frac{6}{11}, \frac{2}{3}$$

$$x \leq y$$

Hence, option C is correct.

3. I. $72x^2 - 101x + 35 = 0$
 or, $72x^2 - (56 + 45)x + 35 = 0$
 or, $72x^2 - 56x - 45x + 35 = 0$
 or, $8x(9x - 7) - 5(9x - 7) = 0$
 $(8x - 5)(9x - 7) = 0$
 $x = \frac{5}{8}, \frac{7}{9}$

II. $45y^2 - 62y + 21 = 0$
 or, $45y^2 - (35 + 27)y + 21 = 0$
 or, $45y^2 - 35y - 27y + 21 = 0$
 or, $5y(9y - 7) - 3(9y - 7) = 0$
 $(5y - 3)(9y - 7) = 0$
 $y = \frac{3}{5}, \frac{7}{9}$

While comparing the values of x and y, one root value of x lies between the two root values of y
 Hence, option C is correct.

4. I. $22x^2 + 6\sqrt{11}x - 8 = 0$
 or, $22x^2 + (8\sqrt{11} - 2\sqrt{11})x - 8 = 0$
 or, $22x^2 + 8\sqrt{11}x - 2\sqrt{11}x - 8 = 0$
 or, $2\sqrt{11}x(\sqrt{11}x + 4) - 2(\sqrt{11}x + 4) = 0$
 $(2\sqrt{11}x - 2)(\sqrt{11}x + 4) = 0$
 $x = \frac{1}{11}, -\frac{4}{11}$

II. $3y^2 + 14y - 5 = 0$
 or, $3y^2 + (15 - 1)y - 5 = 0$
 or, $3y^2 + 15y - y - 5 = 0$
 or, $3y(y + 5) - 1(y + 5) = 0$
 $(3y - 1)(y + 5) = 0$

$y = \frac{1}{3}, -5$

While comparing the values of x and y, one root value of y lies between the root values of x
 Hence, option A is correct.

5. I. $56x^2 + 15x - 56 = 0$
 or, $56x^2 + (64 - 49)x - 56 = 0$
 or, $56x^2 + 64x - 49x - 56 = 0$
 or, $8x(7x + 8) - 7(7x + 8) = 0$
 $(7x + 8)(8x - 7) = 0$
 $x = \frac{7}{8}, -\frac{8}{7}$

II. $7y^2 - 34y - 48 = 0$
 or, $7y^2 - (42 - 8)y - 48 = 0$
 or, $7y^2 - 42y + 8y - 48 = 0$
 or, $7y(y - 6) + 8(y - 6) = 0$
 $(7y + 8)(y - 6) = 0$

$y = -\frac{8}{7}, 6$

While comparing the values of x and y, one root value of y lies between the root values of x

Hence, option B is correct.

6. I. $45x^2 + 17\sqrt{15x} + 24 = 0$
 $45x^2 + 9\sqrt{15x} + 8\sqrt{15x} + 24 = 0$
 $3\sqrt{15x}(\sqrt{15x} + 3) + 8(\sqrt{15x} + 3) = 0$
 $(\sqrt{15x} + 3)(3\sqrt{15x} + 8) = 0$
 $x = -\frac{3}{\sqrt{15}}, -\frac{8}{3\sqrt{15}}$

II. $y^2 + 7y + 12 = 0$
 $y^2 + 4y + 3y + 12 = 0$
 $y(y + 4) + 3(y + 4) = 0$
 $(y + 4)(y + 3) = 0$
 $y = -4, -3$

$x > y$

Hence, option A is correct.

7. I. $\frac{4}{\sqrt{x}} + \frac{6}{\sqrt{x}} = 5\sqrt{x}$
 or, $\frac{4+6}{\sqrt{x}} = 5\sqrt{x}$

$10 = 5x$
 $x = 2$

II. $y^2 + \sqrt{256} = \sqrt{625}$
 $y^2 + 16 = 25$
 $y^2 = 25 - 16$
 $y^2 = 9$
 $y = \pm 3$

While comparing the values of x and y, one root value of y lies between the two root values of x
 Hence, option D is correct.

8. I. $117x^2 + 128x + 35 = 0$
 $117x^2 + 65x + 63x + 35 = 0$
 $13x(9x + 5) + 7(9x + 5) = 0$
 $(13x + 7)(9x + 5) = 0$
 $x = -\frac{7}{13}, -\frac{5}{9}$

II. $39y^2 - 31y - 28 = 0$
 $39y^2 - 52y + 21y - 28 = 0$
 $13y(3y - 4) + 7(3y - 4) = 0$
 $(3y - 4)(13y + 7) = 0$


$y = \frac{4}{3}, -\frac{7}{13}$

$x \leq y$
 Hence, option B is correct.

9. I. $36x^2 + 55x + 21 = 0$
 $36x^2 + 28x + 27x + 21 = 0$
 $4x(9x + 7) + 3(9x + 7) = 0$
 $(9x + 7)(4x + 3) = 0$
 $x = -\frac{7}{9}, -\frac{3}{4}$

II. $132y^2 - 17y - 30 = 0$
 $132y^2 - 72y + 55y - 30 = 0$
 $12y(11y - 6) + 5(11y - 6) = 0$
 $(11y - 6)(12y + 5) = 0$
 $y = \frac{6}{11}, -\frac{5}{12}$

$x < y$
 Hence, option C is correct.



Smartkeeda
 The Question Bank

10. I. $12x^2 - 29x + 15 = 0$
 $12x^2 - 20x - 9x + 15 = 0$
 $4x(3x - 5) - 3(3x - 5) = 0$
 $(3x - 5)(4x - 3) = 0$
 $x = \frac{5}{3}, \frac{3}{4}$

II. $54y^2 - 20\sqrt{18y} + 33 = 0$
 $54y^2 - 11\sqrt{18y} - 9\sqrt{18y} + 33 = 0$
 $\sqrt{18y}(3\sqrt{18y} - 11) - 3(3\sqrt{18y} - 11) = 0$
 $(\sqrt{18y} - 3)(3\sqrt{18y} - 11) = 0$
 $y = \frac{3}{18} = \frac{1}{\sqrt{2}}, \frac{11}{3\sqrt{18}} = \frac{11}{9\sqrt{2}}$

While comparing the values of x and y, one root value of y lies between the root values of x.

Hence, option D is correct.

11. I. $x^5 - 41x^3 + 400x = 0$
 $\therefore x(x^4 - 41x^2 + 400) = 0$
 $\therefore x = 0$ or $x^4 - 41x^2 + 400 = 0$
Let $x^2 = a$
 $\therefore a^2 - 41a + 400 = 0$
 $\therefore a^2 - 25a - 16a + 400 = 0$
 $\therefore (a - 16)(a - 25) = 0$
 $\therefore a = 16$ or $a = 25$
 $\therefore x^2 = 16$ or $x^2 = 25$
 $\therefore x = \pm 4$ or $x = \pm 5$
 $\therefore x = -5$ or -4 or 0 or 4 or 5

II. $y^2 - 14y + 30 = -18$
 $\therefore y^2 - 14y + 48 = 0$
 $\therefore y^2 - 8y - 6y + 48 = 0$
 $\therefore (y - 6)(y - 8) = 0$
 $\therefore y = 6$ or $y = 8$

For both values of y, $x < y$

Hence, option B is correct.

12. I. $x^2 - 3 = 2x$
 $\therefore x^2 - 2x - 3 = 0$
 $\therefore x^2 - 3x + x - 3 = 0$
 $\therefore (x + 1)(x - 3) = 0$
 $\therefore x = 3$ or $x = -1$

II. $y^2 + 5y + 6 = 0$
 $\therefore y^2 + 3y + 2y + 6 = 0$
 $\therefore (y + 3)(y + 2) = 0$
 $\therefore y = -3$ or $y = -2$

For both values of x , $x > y$
Hence, option A is correct

13. I. $4x^3 + 24x^2 - 64x = 0$
 $\therefore 4x(x^2 + 6x - 16) = 0$
 $\therefore 4x = 0$ or $x^2 + 6x - 16 = 0$ (Here $4x = 0$ is nothing but $x = 0$)
 $\therefore x^2 + 6x - 16 = 0$
 $\therefore x^2 + 8x - 2x - 16 = 0 \therefore (x - 2)(x + 8) = 0$
 $\therefore x = 2$ or $x = -8 \therefore x = -8, 0$ or 2

II. $3y^2 + 39y + 126 = 0$
 $\therefore y^2 + 13y + 42 = 0$
 $\therefore y^2 + 7y + 6y + 42 = 0 \therefore (y + 7)(y + 6) = 0$
 $\therefore y = -7$ or $y = -6$ When $x = -8$, $x < y$

When $x = 0$ or 2 , $x > y$

Hence, no relation can be established between x and y .
Hence, option E is correct.

14. I. $x^2 - 25x + 114 = 0$
 $\therefore x^2 - 19x - 6x + 114 = 0$
 $\therefore (x - 6)(x - 19) = 0$
 $\therefore x = 19$ or $x = 6$

II. $y^2 - 10y + 24 = 0$
 $\therefore y^2 - 6y - 4y + 24 = 0$
 $\therefore (y - 4)(y - 6) = 0$
 $\therefore y = 6$ or $y = 4$

When $x = 19$, $x > y$

When $x = 6$, $x \geq y$

Hence, $x \geq y$

Hence, option C is correct.

- 15.** $48x^2 - 24x + 3 = 0$ is of the form $ax^2 - bx + c = 0$
 Both roots of this equation are positive i.e. $x > 0$
 $55y^2 + 53y + 12 = 0$ is of the form $ay^2 + by + c = 0$
 Both roots of this equation are negative i.e. $y < 0$
 Hence, $x > y$
 Hence, option A is correct.

16. I. $45x^2 + 17\sqrt{15x} + 24 = 0$
 $45x^2 + 9\sqrt{15x} + 8\sqrt{15x} + 24 = 0$
 $3\sqrt{15x}(\sqrt{15x} + 3) + 8(\sqrt{15x} + 3) = 0$
 $(\sqrt{15x} + 3)(3\sqrt{15x} + 8) = 0$
 $x = -3/\sqrt{15}, -8/3\sqrt{15}$

II. $y^2 + 7y + 12 = 0$
 $y^2 + 4y + 3y + 12 = 0$
 $y(y + 4) + 3(y + 4) = 0$
 $(y + 4)(y + 3) = 0$
 $y = -4, -3$

$x > y$

Hence, option A is correct.

17. I. $\frac{4}{\sqrt{x}} + \frac{6}{\sqrt{x}} = 5\sqrt{x}$
 or, $\frac{4+6}{\sqrt{x}} = 5\sqrt{x}$
 $10 = 5x$
 $x = 2$

II. $y^2 + \sqrt{256} = \sqrt{625}$
 $y^2 + 16 = 25$
 $y^2 = 25 - 16$
 $y^2 = 9$
 $y = \pm 3$

While comparing the values of x and y, one root value of y lies between the two root values of x

Hence, option D is correct.

18. I. $x^2 - 7\sqrt{3}x + 36 = 0$
 $\Rightarrow x^2 - 4\sqrt{3}x - 3\sqrt{3}x + 36 = 0$
 $\Rightarrow x(x - 4\sqrt{3}) - 3\sqrt{3}(x - 4\sqrt{3}) = 0$
 $\Rightarrow (x - 3\sqrt{3})(x - 4\sqrt{3}) = 0$
 $\therefore x = 3\sqrt{3}, 4\sqrt{3}$


II. $y^2 - 11\sqrt{3}y + 84 = 0$
 $\Rightarrow y^2 - 4\sqrt{3}y - 7\sqrt{3}y + 84 = 0$
 $\Rightarrow y(y - 4\sqrt{3}) - 7\sqrt{3}(y - 4\sqrt{3}) = 0$
 $\Rightarrow (y - 7\sqrt{3})(y - 4\sqrt{3}) = 0$
 $\therefore y = 7\sqrt{3}, 4\sqrt{3}$

Now, While comparing the root values of x and y

x	y
$3\sqrt{3} < 4\sqrt{3}$	
$3\sqrt{3} < 7\sqrt{3}$	
$4\sqrt{3} = 4\sqrt{3}$	
$4\sqrt{3} < 7\sqrt{3}$	

Here, $x \leq y$

Hence, option (B) is correct.



Smartkeeda
The Question Bank

19. I. $x^2 = 361$
 $x = \pm 19$

II. $y^3 = 7269 + 731$
 $y^3 = 8000$
 $y = 20$
 $x < y$
Hence, option A is correct.

20. I. $x^2 + 5x + 6 = 0$
 $\Rightarrow x^2 + 3x + 2x + 6 = 0$
 $\Rightarrow x(x + 3) + 2(x + 3) = 0$
 $\Rightarrow (x + 2)(x + 3) = 0$
 $\therefore x = -2, -3$

II. $y^2 - 4y - 12 = 0$
 $\Rightarrow y^2 - 6y + 2y - 12 = 0$
 $\Rightarrow y(y - 6) + 2(y - 6) = 0$
 $\Rightarrow (y + 2)(y - 6) = 0$
 $\therefore y = -2, +6$

Now, While comparing the root values of x and y

$$\begin{aligned}x & y \\ -2 & = -2 \\ -2 & < +6 \\ -3 & < -2 \\ -3 & < +6\end{aligned}$$

Here, $x \leq y$

Hence, option (B) is correct.

21. I. $25x^2 - 90x + 72 = 0$
 $\Rightarrow (5x - 6)(5x - 12) = 0$
 $\Rightarrow x = \frac{6}{5}, \frac{12}{5}$

II. $y^2 + 26y + 168 = 0$
 $\Rightarrow (y + 12)(y + 14) = 0$
 $\Rightarrow y = -12, -14$

Hence, $x > Y$

Hence, option A is correct.

22. I. $20x^2 - 108x + 144 = 0$
 $\Rightarrow 4(5x^2 - 27x + 36) = 0$
 $\Rightarrow 5x^2 - 27x + 36 = 0$
 $\Rightarrow (5x - 12)(x - 3) = 0$
 $\Rightarrow x = \frac{12}{5}, 3$

II. $8y^2 + 18y + 4 = 0$
 $\Rightarrow (8y + 2)(y + 2) = 0$
 $\Rightarrow y = -\frac{1}{4}, -2$

Hence, $x > Y$

Hence, option A is correct.

23. I. $3x^2 - 8x - 16 = 0$
 $\Rightarrow (3x + 4)(x - 4) = 0$
 $\Rightarrow x = -\frac{4}{3}, 4$

II. $3y^2 - 19y + 28 = 0$
 $\Rightarrow (3y - 7)(y - 4) = 0$
 $\Rightarrow y = \frac{7}{3}, 4$

Hence, relationship between x and y cannot be determined.


Hence, option E is correct.

24. I. $3x^2 - 5x - 12 = 0$
 $\Rightarrow (3x + 4)(x - 3) = 0$
 $\Rightarrow x = -\frac{4}{3}, 3$

II. $2y^2 + 15y + 25 = 0$
 $\Rightarrow (2y + 5)(y + 5) = 0$
 $\Rightarrow y = -\frac{5}{2}, -5$

Hence, $x > y$

Hence, option A is correct.



Smartkeeda
The Question Bank

25. I. $2x^2 + 5x + 2 = 0$
 $\Rightarrow (2x + 1)(x + 2) = 0$
 $\Rightarrow x = -\frac{1}{2}, -2$

II. $6y^2 + 69y + 198 = 0$
 $\Rightarrow 3(2y^2 + 23y + 66) = 0$
 $\Rightarrow 2y^2 + 23y + 66 = 0$
 $\Rightarrow (2y + 11)(y + 6) = 0$
 $\Rightarrow y = -\frac{11}{2}, -6$

Hence, $x > y$

Hence, option A is correct.

26. I. $20x^2 + 93x + 99 = 0$
 $\Rightarrow 20x^2 + 60x + 33x + 99 = 0$
 $\Rightarrow 20x(x + 3) + 33(x + 3) = 0$
 $\Rightarrow (x + 3)(20x + 33) = 0$
 $\therefore x = -3$ or $x = -\frac{33}{20}$

II. $16y^2 - 25 = 0$
 $\Rightarrow 16y^2 + 20y - 20y - 25 = 0$
 $\Rightarrow 4y(4y + 5) - 5(4y + 5) = 0$
 $\Rightarrow (4y - 5)(4y + 5) = 0$
 $\therefore y = \frac{5}{4}$ or $y = -\frac{5}{4}$

So, we can say that $x < y$.

Hence, option D is correct.

27. I. $12x^2 - 4x - 5 = 0$
 $\Rightarrow 12x^2 - 10x + 6x - 5 = 0$
 $\Rightarrow 6x(2x + 1) - 5(2x + 1) = 0$
 $\Rightarrow (6x - 5)(2x + 1) = 0$

$\therefore x = \frac{5}{6}$ or $\frac{-1}{2}$

II. $8y^2 - 4y - 4 = 0$
 $\Rightarrow 8y^2 - 8y + 4y - 4 = 0$
 $\Rightarrow 8y(y - 1) + 4(y - 1) = 0$
 $\Rightarrow (8y + 4)(y - 1) = 0$

$\therefore y = \frac{-1}{2}$ or $y = 1$

So, here we can't say anything.

Hence, option E is correct.

28. From I :

$$\Rightarrow x^2 - 52x + 667 = 0$$

$$\Rightarrow x^2 - 23x - 29x + 667 = 0$$

$$\Rightarrow x(x - 23) - 29(x - 23) = 0$$

$$\Rightarrow (x - 29)(x - 23) = 0$$

$$\therefore x = 29, 23$$

From II :

$$\Rightarrow y^2 - 60y + 899 = 0$$

$$\Rightarrow y^2 - 29y - 31y + 899 = 0$$

$$\Rightarrow y(y - 29) - 31(y - 29) = 0$$

$$\Rightarrow (y - 31)(y - 29) = 0$$

$$\therefore y = 29, 31$$

Now,

$$x \quad y$$

$$29 = 29$$


$$29 < 31$$

$$23 < 29$$

$$23 < 31$$

Here, $x \leq y$.

Hence, option (B) is correct.



Smartkeeda

The Question Bank

29. We have

$$2x + 3y = 77 \dots\dots\dots(i)$$

$$3x + 5y = 124 \dots\dots\dots(ii)$$

Multiplying eq. (i) by 3 and eq. (ii) by 2, we get

$$6x + 9y = 231 \dots\dots\dots(iii)$$

$$6x + 10y = 246 \dots\dots\dots(iv)$$

Subtracting eq. (iv) from (iii) we get

$$y = 17$$

putting value of $y = 17$ in (i), we get

$$\Rightarrow 2x + 3 \times 17 = 77$$

$$\Rightarrow 2x = 51$$

$$\therefore x = 13$$

Here, $x < y$.

Hence, option (D) is correct.

30. I. $3x^2 - (6 + \sqrt{17})x + 2\sqrt{17} = 0$
 $\Rightarrow 3x^2 - 6x - \sqrt{17}x + 2\sqrt{17} = 0$
 $\Rightarrow 3x(x - 2) - \sqrt{17}(x - 2) = 0$
 $\Rightarrow (3x - \sqrt{17})(x - 2) = 0$
 $\Rightarrow x = \frac{\sqrt{17}}{3}, 2$

II. $10y^2 - (15 + 2\sqrt{17})y + 3\sqrt{17} = 0$
 $\Rightarrow 10y^2 - 15y - 2\sqrt{17}y + 3\sqrt{17} = 0$
 $\Rightarrow 5y(2y - 3) - \sqrt{17}(2y - 3) = 0$
 $\Rightarrow (5y - \sqrt{17})(2y - 3) = 0$
 $\Rightarrow y = \frac{\sqrt{17}}{5}, \frac{3}{2}$

On comparing values of x and y

$$\frac{\sqrt{17}}{3} > \frac{\sqrt{17}}{5}$$

$$\frac{\sqrt{17}}{3} < \frac{3}{2}$$

$$2 > \frac{\sqrt{17}}{5}$$

$$2 > \frac{3}{2}$$



Smartkeeda

The Question Bank

Hence, option (E) is correct.

31. I. $5x^2 + 11x - 12 = 0$
 $\Rightarrow 5x^2 + 15x - 4x - 12 = 0$
 $\Rightarrow 5x(x + 3) - 4(x + 3) = 0$
 $\Rightarrow (5x - 4)(x + 3) = 0$
 $\Rightarrow x = \frac{4}{5}, -3$

II. $4y^2 - 13y - 12 = 0$
 $\Rightarrow 4y^2 - 16y + 3y - 12 = 0$
 $\Rightarrow 4y(y - 4) + 3(y - 4) = 0$
 $\Rightarrow (4y + 3)(y - 4) = 0$
 $\Rightarrow y = -\frac{3}{4}, 4$

While comparing the root values of x and y, we find that one root value of y lies between the root values of x.

Therefore, relationship between x and y can't be determined.

Hence, option E is correct.

32. I. $3x^2 + 19x + 30 = 0$
 $\Rightarrow 3x^2 + 9x + 10x + 30 = 0$
 $\Rightarrow 3x^2 + 9x + 10x + 30 = 0$
 $\Rightarrow 3x(x + 3) + 10(x + 3) = 0$
 $\Rightarrow (3x + 10)(x + 3) = 0$

$$\Rightarrow x = -\frac{10}{3}, -3$$

II. $3y^2 - 20y - 32 = 0$
 $\Rightarrow 3y^2 - 24y + 4y - 32 = 0$
 $\Rightarrow 3y(y - 8) + 4(y - 8) = 0$
 $\Rightarrow (3y + 4)(y - 8) = 0$

$$\Rightarrow y = -\frac{4}{3}, 8$$

While comparing the root values x and y , we find that root values x is less than y 's.

Therefore, $x < y$

Hence, option D is correct.

33. I. $x^2 - 4\sqrt{7}x + 21 = 0$
 $\Rightarrow x^2 - \sqrt{7}x - 3\sqrt{7}x + 21 = 0$
 $\Rightarrow x(x - \sqrt{7}) - 3\sqrt{7}(x - \sqrt{7}) = 0$
 $\Rightarrow (x - \sqrt{7})(x - 3\sqrt{7}) = 0$
 $\Rightarrow x = \sqrt{7}, 3\sqrt{7}$

II. $2y^2 - 8\sqrt{5}y - 50 = 0$

$$\Rightarrow 2y^2 - 8\sqrt{5}y - 50 = 0$$

Taking 2 as a common term, we get

$$\Rightarrow y^2 - 4\sqrt{5}y - 25 = 0$$

$$\Rightarrow y^2 + \sqrt{5}y - 5\sqrt{5}y - 25 = 0$$

$$\Rightarrow y(y + \sqrt{5}) - 5\sqrt{5}(y + \sqrt{5}) = 0$$

$$\Rightarrow (y + \sqrt{5})(y - 5\sqrt{5}) = 0$$

$$\Rightarrow y = -\sqrt{5}, 5\sqrt{5}$$

While comparing the root values of x and y , we find that root values of y lies between the x 's root values.

Therefore, relationship between x and y can't be determined.

Hence, option E is correct.

34. I. $x^2 - 52x + 667 = 0$
 $\Rightarrow x^2 - 23x - 29x + 667 = 0$
 $\Rightarrow x(x - 23) - 29(x - 23) = 0$
 $\Rightarrow (x - 23)(x - 29) = 0$
 $\Rightarrow x = 23, 29$

II. $y^2 + 8y - 33 = 0$
 $\Rightarrow y^2 - 3y + 11y - 33 = 0$
 $\Rightarrow y(y - 3) + 11(y - 3) = 0$
 $\Rightarrow (y - 3)(y + 11) = 0$
 $\Rightarrow y = 3, -11$

Therefore, $x > y$

Hence, option A is correct.

35. I. $x^2 - 13\sqrt{2}x + 60 = 0$
 $\Rightarrow x^2 - 10\sqrt{2}x - 3\sqrt{2}x + 60 = 0$
 $\Rightarrow x(x - 10\sqrt{2}) - 3\sqrt{2}(x - 10\sqrt{2}) = 0$
 $\Rightarrow (x - 3\sqrt{2})(x - 10\sqrt{2}) = 0$
 $x = 3\sqrt{2}, 10\sqrt{2}$

II. $y^2 + 3\sqrt{5}y - 20 = 0$
 $\Rightarrow y^2 + 4\sqrt{5}y - \sqrt{5}y - 20 = 0$
 $\Rightarrow y(y + 4\sqrt{5}) - \sqrt{5}(y + 4\sqrt{5}) = 0$
 $\Rightarrow (y - \sqrt{5})(y + 4\sqrt{5}) = 0$
 $\Rightarrow y = -4\sqrt{5}, \sqrt{5}$

While comparing the root values of x and y , we find that the x 's root values are greater than y 's.

Hence, option A is correct.

36. I. $10x^2 - 69x + 108 = 0$
 $\Rightarrow 10x^2 - 45x - 24x + 108 = 0$
 $\Rightarrow 5x(2x - 9) - 12(2x - 9) = 0$
 $\Rightarrow (5x - 12)(2x - 9) = 0$

$\therefore x = \frac{12}{5}, \frac{9}{2}$

Smartkeeda
The Question Bank

$$\begin{aligned} \text{II. } 6y^2 - 47y + 77 &= 0 \\ \Rightarrow 6y^2 - 33y - 14y + 77 &= 0 \\ \Rightarrow 3y(2y - 11) - 7(2y - 11) &= 0 \\ \Rightarrow (3y - 7)(2y - 11) &= 0 \end{aligned}$$

$$\therefore y = \frac{7}{3}, \frac{11}{2}$$

on comparing the values of x and y, we get

$$\begin{aligned} x & y \\ \frac{12}{5} & > \frac{7}{3} \\ \frac{12}{5} & < \frac{11}{2} \\ \frac{9}{2} & > \frac{7}{3} \\ \frac{9}{2} & < \frac{11}{2} \end{aligned}$$

Hence, either $x = y$ or relationship cannot be established.

Hence, option E is correct.

37.

$$\begin{aligned} \text{I. } 5x^2 - 34x + 24 &= 0 \\ \Rightarrow 5x^2 - 34x + 24 &= 0 \\ \Rightarrow 5x^2 - 30x - 4x + 24 &= 0 \\ \Rightarrow 5x(x - 6) - 4(x - 6) &= 0 \\ \Rightarrow (5x - 4)(x - 6) &= 0 \end{aligned}$$

$$\Rightarrow x = \frac{4}{5}, 6$$

$$\begin{aligned} \text{II. } 4y^2 - 13y + 9 &= 0 \\ \Rightarrow 4y^2 - 4y - 9y + 9 &= 0 \\ \Rightarrow 4y(y - 1) - 9(y - 1) &= 0 \\ \Rightarrow (4y - 9)(y - 1) &= 0 \end{aligned}$$

$$\Rightarrow y = \frac{9}{4}, 1$$

While comparing the root values of x and y, we find that the root values of x lies between the y's.

Therefore, relationship between x and y can't be determined.

Hence, option E is correct.

38. I. $36x^2 - 196x - 11 = 0$
 $\Rightarrow 36x^2 + 2x - 198x - 11 = 0$
 $\Rightarrow 2x(18x + 1) - 11(18x + 1) = 0$
 $\Rightarrow (2x - 11)(18x + 1) = 0$

$$\Rightarrow x = \frac{11}{2}, -\frac{1}{18}$$

II. $4y^2 - 19y + 12 = 0$
 $\Rightarrow 4y^2 - 16y - 3y + 12 = 0$
 $\Rightarrow 4y(y - 4) - 3(y - 4) = 0$
 $\Rightarrow (4y - 3)(y - 4) = 0$

$$\Rightarrow y = \frac{3}{4}, 4$$

While comparing the root values of x and y, we find that the root values of y lies between the x's. Therefore, relationship between x and y can't be determined.

Hence, option E is correct.

39. I. $6x^2 + 25x + 21 = 0$
 $\Rightarrow 6x^2 + 18x + 7x + 21 = 0$
 $\Rightarrow 6x(x + 3) + 7(x + 3) = 0$
 $\Rightarrow (x + 3)(6x + 7) = 0$

$$\Rightarrow x = -\frac{7}{6}, -3$$

II. $5y^2 - 176y - 333 = 0$
 $\Rightarrow 5y^2 - 185y + 9y - 333 = 0$
 $\Rightarrow 5y(y - 37) + 9(y - 37) = 0$
 $\Rightarrow (y - 37)(5y + 9) = 0$

$$\Rightarrow y = 37, -\frac{9}{5}$$

While comparing the root values of x and y, we find that one root value of y lies between x's root values.

Therefore, relationship between x and y cannot be determined.

Hence, option E is correct.

40. I. $x^2 = 5476$
 $\Rightarrow x = \pm 74$

II. $y^3 = 405224$
 $\Rightarrow y = 74$

Hence, $x \leq y$

Hence, option B is correct.

41. I. $25x^2 - 90x + 72 = 0$
 $\Rightarrow (5x - 6)(5y - 12) = 0$
 $\Rightarrow x = \frac{6}{5}, \frac{12}{5}$

II. $y^2 + 26y + 168 = 0$
 $\Rightarrow (y + 12)(y + 14) = 0$
 $\Rightarrow y = -12, -14$

Hence, $x > Y$

Hence, option A is correct.

42. I. $20x^2 - 108x + 144 = 0$
 $\Rightarrow 4(5x^2 - 27x + 36) = 0$
 $\Rightarrow 5x^2 - 27x + 36 = 0$
 $\Rightarrow (5x - 12)(x - 3) = 0$
 $\Rightarrow x = \frac{12}{5}, 3$

II. $8y^2 + 18y + 4 = 0$
 $\Rightarrow (8y + 2)(y + 2) = 0$
 $\Rightarrow y = -\frac{1}{4}, -2$

Hence, $x > Y$

Hence, option A is correct.

43. I. $3x^2 - 8x - 16 = 0$
 $\Rightarrow (3x + 4)(x - 4) = 0$
 $\Rightarrow x = -\frac{4}{3}, 4$

II. $3y^2 - 19y + 28 = 0$
 $\Rightarrow (3y - 7)(y - 4) = 0$
 $\Rightarrow y = \frac{7}{3}, 4$

Hence, relationship between x and y cannot be determined.


Hence, option E is correct.

44. I. $3x^2 - 5x - 12 = 0$
 $\Rightarrow (3x + 4)(x - 3) = 0$
 $\Rightarrow x = -\frac{4}{3}, 3$

II. $2y^2 + 15y + 25 = 0$
 $\Rightarrow (2y + 5)(y + 5) = 0$
 $\Rightarrow y = -\frac{5}{2}, -5$

Hence, $x > y$

Hence, option A is correct.



Smartkeeda
The Question Bank

45. I. $2x^2 + 5x + 2 = 0$
 $\Rightarrow (2x + 1)(x + 2) = 0$
 $\Rightarrow x = -\frac{1}{2}, -2$

II. $6y^2 + 69y + 198 = 0$
 $\Rightarrow 3(2y^2 + 23y + 66) = 0$
 $\Rightarrow 2y^2 + 23y + 66 = 0$
 $\Rightarrow (2y + 11)(y + 6) = 0$
 $\Rightarrow y = -\frac{11}{2}, -6$

Hence, $x > y$

Hence, option A is correct.

46. I. $20x^2 + 93x + 99 = 0$
 $\Rightarrow 20x^2 + 60x + 33x + 99 = 0$
 $\Rightarrow 20x(x + 3) + 33(x + 3) = 0$
 $\Rightarrow (x + 3)(20x + 33) = 0$

$$\therefore x = -3 \text{ or } x = -\frac{33}{20}$$

II. $16y^2 - 25 = 0$
 $\Rightarrow 16y^2 + 20y - 20y - 25 = 0$
 $\Rightarrow 4y(4y + 5) - 5(4y + 5) = 0$
 $\Rightarrow (4y - 5)(4y + 5) = 0$

$$\therefore y = \frac{5}{4} \text{ or } y = -\frac{5}{4}$$

So, we can say that $x < y$.

Hence, option D is correct.

47. I. $12x^2 - 4x - 5 = 0$
 $\Rightarrow 12x^2 - 10x + 6x - 5 = 0$
 $\Rightarrow 6x(2x + 1) - 5(2x + 1) = 0$
 $\Rightarrow (6x - 5)(2x + 1) = 0$

$$\therefore x = \frac{5}{6} \text{ or } \frac{-1}{2}$$

II. $8y^2 - 4y - 4 = 0$
 $\Rightarrow 8y^2 - 8y + 4y - 4 = 0$
 $\Rightarrow 8y(y - 1) + 4(y - 1) = 0$
 $\Rightarrow (8y + 4)(y - 1) = 0$

$$\therefore y = \frac{-1}{2} \text{ or } y = 1$$

So, here we can't say anything.

Hence, option E is correct.



48. From I :

$$\Rightarrow x^2 - 52x + 667 = 0$$

$$\Rightarrow x^2 - 23x - 29x + 667 = 0$$

$$\Rightarrow x(x - 23) - 29(x - 23) = 0$$

$$\Rightarrow (x - 29)(x - 23) = 0$$

$$\therefore x = 29, 23$$

From II :

$$\Rightarrow y^2 - 60y + 899 = 0$$

$$\Rightarrow y^2 - 29y - 31y + 899 = 0$$

$$\Rightarrow y(y - 29) - 31(y - 29) = 0$$

$$\Rightarrow (y - 31)(y - 29) = 0$$

$$\therefore y = 29, 31$$

Now,

$$x \quad y$$

$$29 = 29$$


$$29 < 31$$

$$23 < 29$$

$$23 < 31$$

Here, $x \leq y$.

Hence, option (B) is correct.



Smartkeeda

The Question Bank

49. We have

$$2x + 3y = 77 \dots\dots\dots(i)$$

$$3x + 5y = 124 \dots\dots\dots(ii)$$

Multiplying eq. (i) by 3 and eq. (ii) by 2, we get

$$6x + 9y = 231 \dots\dots\dots(iii)$$

$$6x + 10y = 246 \dots\dots\dots(iv)$$

Subtracting eq. (iv) from (iii) we get

$$y = 17$$

putting value of $y = 17$ in (i), we get

$$\Rightarrow 2x + 3 \times 17 = 77$$

$$\Rightarrow 2x = 51$$

$$\therefore x = 13$$

Here, $x < y$.

Hence, option (D) is correct.

50. I. $3x^2 - (6 + \sqrt{17})x + 2\sqrt{17} = 0$
 $\Rightarrow 3x^2 - 6x - \sqrt{17}x + 2\sqrt{17} = 0$
 $\Rightarrow 3x(x - 2) - \sqrt{17}(x - 2) = 0$
 $\Rightarrow (3x - \sqrt{17})(x - 2) = 0$
 $\Rightarrow x = \frac{\sqrt{17}}{3}, 2$

II. $10y^2 - (15 + 2\sqrt{17})y + 3\sqrt{17} = 0$
 $\Rightarrow 10y^2 - 15y - 2\sqrt{17}y + 3\sqrt{17} = 0$
 $\Rightarrow 5y(2y - 3) - \sqrt{17}(2y - 3) = 0$
 $\Rightarrow (5y - \sqrt{17})(2y - 3) = 0$
 $\Rightarrow y = \frac{\sqrt{17}}{5}, \frac{3}{2}$

On comparing values of x and y

$$\frac{\sqrt{17}}{3} > \frac{\sqrt{17}}{5}$$

$$\frac{\sqrt{17}}{3} < \frac{3}{2}$$

$$2 > \frac{\sqrt{17}}{5}$$

$$2 > \frac{3}{2}$$



Smartkeeda

The Question Bank

Hence, option (E) is correct.

Join us on Telegram for more PDFs

Click here





SmartKeeda

The Question Bank

Presents

TestZone

India's least priced Test Series platform

JOIN

ALL BANK EXAMS

2019-20 Test Series

@ Just

₹ **499/-**

300+ Full Length Tests

- Brilliant Test Analysis
- Excellent Content
- Unmatched Explanations

JOIN NOW